DISK

MARCH 1983

LOAD 80

LD8303

SIDE A

PAGE NO.	LANG	FILENAME
—	BASIC	COPYRGHT/BAS
74	EDTASM	PASSCARD/SRC
74	EDTASM	TIMEDLAY/SRC
112	EDTASM	CPMBOOT/SRC
134	BASIC	AIDS3/BAS
176	BASIC	LISP/BAS
190	EDTASM	DLOAD/SRC

*ASSEMBLY language source code. Radio Shack's EDTASM will not load these files.

This disk is a 'flippy' and is written to on both sides. Simply 'flip' the disk over to read the other side. As with all software, make a BACKUP immediately.

SIDE B

PAGE NO.	LANG	FILENAME
164	BASIC	PRINTAT/BAS
218	BASIC	TIMEWARP/BAS
272	BASIC	SEEKER/BAS
280	EDTASM	COMPAC/SRC

USING MODEL I/III DISK LOAD80

Check the accompanying articles in 80 MICRO for instructions on using each program. All systems compatible with the program are listed in the Keybox. The RELOAD 80 column also contains information on using LOAD 80. For back issues of 80 MICRO or LOAD 80, call (800)-258-5473.

LOAD 80 disks are double-sided to allow room for more programs. To access the other side, simply flip the disk. Both sides contain TDOS, the DOSPLUS kernel. Model I users should sim-

ply insert the LOAD 80 disk in Drive 0 and hit reset. Use the Basic supplied on TDOS to load and run Basic programs.

Model III users must use the TRSDOS CONVERT utility:

• Make a BACKUP of your TRSDOS disk. Place the BACKUP in Drive 0 and the LOAD 80 disk in Drive 1.
• Type PURGE and then the Master Password for your TRSDOS disk. Kill all the files.
• Type CONVERT and answer Source as 1 and Destination as 0. The LOAD 80 programs will be copied onto your TRSDOS disk.
• Flip the disk and do the last step over.

Files which are marked ASSEMBLY require Editor/Assembler which will load early Apparat source code. Consult the producers of the various Editor/Assemblers for specifics on their product.

For technical help with LOAD 80, please call or write to Art Huston, Load 80, 80 Pine St., Peterborough, NH 03458. If you want to return or exchange your disk, please write to Lori Eaton, 80 pine St., Peterborough, NH 03458.

DISCLAIMER